

Message

---

**From:** Robinson, Valois [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A4217A71307D4429B7BDC7C80EB40C7D-SHEA, VALOIS]  
**Sent:** 6/8/2020 11:13:17 PM  
**To:** Arnold, Rick [Arnold.Rick@epa.gov]  
**Subject:** RE: ~ Pre-decisional ~ Deliberative ~ Please review these paragraphs I am including in my response to Powertech's 2019 comment about modeling requirements

OK I will add Lucita!

*Valois*

---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program  
MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276  
robinson.valois@epa.gov

---

**From:** Arnold, Rick <Arnold.Rick@epa.gov>  
**Sent:** Monday, June 8, 2020 5:11 PM  
**To:** Robinson, Valois <Robinson.Valois@epa.gov>  
**Subject:** RE: ~ Pre-decisional ~ Deliberative ~ Please review these paragraphs I am including in my response to Powertech's 2019 comment about modeling requirements

Sure, it would be good to get Douglas' input too. How about Lucita?  
Wednesday morning works for me.  
Thanks.

---

**From:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>  
**Sent:** Monday, June 8, 2020 2:32 PM  
**To:** Arnold, Rick <[Arnold.Rick@epa.gov](mailto:Arnold.Rick@epa.gov)>  
**Subject:** RE: ~ Pre-decisional ~ Deliberative ~ Please review these paragraphs I am including in my response to Powertech's 2019 comment about modeling requirements

Thanks, Rick. This sounds good. I like your response and will put it into the RTC.

Do you think Douglas should be included in our modeling discussion, too? It looks like 9-10 on Wednesday morning works for all three of us.

*Valois*

---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program

MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276  
[robinson.valois@epa.gov](mailto:robinson.valois@epa.gov)

---

**From:** Arnold, Rick <[Arnold.Rick@epa.gov](mailto:Arnold.Rick@epa.gov)>  
**Sent:** Monday, June 8, 2020 11:13 AM  
**To:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>  
**Subject:** RE: ~ Pre-decisional ~ Deliberative ~ Please review these paragraphs I am including in my response to Powertech's 2019 comment about modeling requirements

Hi Valois,  
Please see my responses in the attached document. I copied everything into Word to facilitate commenting.

## Ex. 5 Deliberative Process (DP)

Please let me know what you think. It also probably would be good to have a discussion before the meeting with the RA this week.

My thinking has evolved a bit, and I'd like to discuss it with you when you have a chance.

Thanks.

---

**From:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>  
**Sent:** Friday, June 5, 2020 12:47 PM  
**To:** Arnold, Rick <[Arnold.Rick@epa.gov](mailto:Arnold.Rick@epa.gov)>  
**Subject:** FW: ~ Pre-decisional ~ Deliberative ~ Please review these paragraphs I am including in my response to Powertech's 2019 comment about modeling requirements

Hi Rick

## Ex. 5 Deliberative Process (DP)

# Ex. 5 Deliberative Process (DP)

*Valois*


---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program  
MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276  
[robinson.valois@epa.gov](mailto:robinson.valois@epa.gov)

---

**From:** Chin, Lucita <[Chin.Lucita@epa.gov](mailto:Chin.Lucita@epa.gov)>  
**Sent:** Tuesday, May 5, 2020 2:43 PM  
**To:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>; Arnold, Rick <[Arnold.Rick@epa.gov](mailto:Arnold.Rick@epa.gov)>  
**Subject:** Chin, Lucita shared "DB RTC v2" with you.

Moving on to v2. After Valois edited, for some reason it said there was unreadable text and made me save under a new name.

 This link only works for the direct recipients of this message.



DB RTC v2

Open



Microsoft respects your privacy. To learn more, please read our [Privacy Statement](#).  
Microsoft Corporation, One Microsoft Way, Redmond, WA 98052

■